





. . . .


SLAB / WALL















	STRUCTURAL SHEET LIST			
SHEET NUMBER	SHEET NAME			
SI001	ABBREVIATIONS AND SYMBOLS			
SI002	GENERAL NOTES			
SI003	LOAD MAP			
SB101	FOUNDATION PLAN			
SB401	ENLARGED FOUNDATION PLANS			
SB501	TYPICAL FOUNDATION DETAILS			
SB502	FOUNDATION SECTIONS AND DETAILS			
SB601	FOUNDATION SCHEDULES AND DETAILS			
SF101	SLAB ON GRADE LEVEL 1			
SF102	FRAMING PLAN LEVEL 2			
SF103	FRAMING PLAN LEVEL 3			
SF104	FRAMING PLAN LEVEL 4			
SF201	BUILDING ELEVATIONS			
SF202	CAST IN PLACE WALL ELEVATIONS			
SF203	SHEARWALL ELEVATIONS AND SCHEDULES			
SF204	PRECAST ELEVATIONS AND SCHEDULES			
SF401	ENLARGED STAIR PLANS			
SF501	TYPICAL PRECAST DETAILS			
SF502	FRAMING SECTIONS AND DETAILS			
SF901	ISOMETRICS			








COLUMN / BEAM







Civil Engineer Functional Design APOGEE CONSULTING GROUP, PA CMTA CONSULTING ENGINEERS 1151 Kildare Farm Road, 1610 Woodstead Court, 1225 North Loop West,Suite 900 Suite 101
Houston, TX 77008 Frisco, TX 75034 Cary, NC 27511 Woodlands, TX 77380 T: 713.864.2900 T: 469.777.5143 T: 919.858.7420 T: 281.419.9899

CARL WALKER INC. 2801 Network Blvd.,

GRADE BEAM

GIRDER TRUSS

HORIZONTAL

HIGH POINT

HIP TRUSS

INSIDE FACE

INFORMATION

INSULATION

INTERIOR

INCH

INCLUDE

INSIDE DIAMETER

HEADED ANCHOR STUD

GENERAL STRUCTURAL NOTES

HOLLOW STRUCTURAL SECTION

HEATING, VENTILATION, AIR CONDITIONING

GROUND

GRND

GSN

HAS, HS

HORIZ

HVAC

INSUL

DIVISION MANAGER

Project Title ABBREVIATIONS AND SYMBOLS **BUILD PARKING GARAGE A** Approved for Design Concept: Michael E. DeBakey VAMC, Houston, TX **FACILITY MANAGEMENT** MAV 2015/10/16

TOP OF GRADE BEAM

TEMPERATURE

THROUGH TRANSVERSE

TYPICAL

VERTICAL

WITH

WITHOUT WOOD

TRENCH FOOTING

ULTRA-SONIC TEST

VERIFY IN FIELD

WIDE FLANGE

WALL FOOTING

WELDED WIRE FABRIC

WORK POINT

MECHANICAL TENSION BUTT SPLICE

UNDERWRITERS' LABORATORY INC.

UNLESS NOTED OTHERWISE

T/GB

TEMP

Guidon Design Project # OFFICE OF **FACILITIES Building Number MANAGEMENT** Drawing Number VA Project Number 580-321

U.S. Department of Veterans Affairs

Checked By: Drawn By: WJT

100% CONSTRUCTION DOCUMENTS

THE STRUCTURE HAS BEEN DESIGNED FOR THE IN-SERVICE LOADS ONLY. THE METHODS, MEANS, PROCEDURES, AND SEQUENCES OF CONSTRUCTION ARE THE RESPONSIBILITY OF THE CONTRACTOR. THE STRUCTURE IS DESIGNED TO BE SELF-SUPPORTING AND STABLE AFTER THE BUILDING IS COMPLETE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE ERECTION PROCEDURES AND SEQUENCE TO INSURE SAFETY OF THE BUILDING AND ITS COMPONENTS DURING ERECTION. THIS INCLUDES THE ADDITION OF NECESSARY SHORING, SHEETING, TEMPORARY BRACING, GUYS, TIEDOWNS, ETC.

THE STRUCTURAL DRAWINGS SHALL BE USED IN CONJUNCTION WITH CIVIL, ARCHITECTURAL, MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS AND SPECIFICATIONS.

THE GENERAL NOTES ON THE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE FULL WRITTEN MATERIAL SPECIFICATIONS (IF ANY) FOR THE PROJECT. IF A DISCREPANCY OCCURS BETWEEN THE NOTES AND THE FULL SPECIFICATIONS, THE MORE STRINGENT REQUIREMENT SHALL APPLY.

NO PENETRATIONS THROUGH STRUCTURAL ELEMENTS, OTHER THAN THOSE SHOWN ON THE DRAWINGS, SHALL BE MADE WITHOUT THE APPROVAL OF THE STRUCTURAL ENGINEER.

CONCRETE MIX DESIGN SUBMITTAL

THE CONTRACTOR SHALL SUBMIT FOR THE REVIEW OF THE STRUCTURAL ENGINEER A MIX DESIGN FOR EACH PROPOSED CLASS OF CONCRETE. EACH MIX DESIGN SHALL BE IDENTIFIED BY A MIX NUMBER OR OTHER UNIQUE IDENTIFICATION. THE CONTRACTOR SHALL NOT VARY FROM THE MIX DESIGNS NOR USE ANY CONCRETE OTHER THAN THE APPROVED MIX DESIGNS WITHOUT THE APPROVAL OF THE STRUCTURAL ENGINEER. MIX DESIGN SUBMITTALS SHALL INCLUDE THE FOLLOWING INFORMATION:

- MIX DESIGN NUMBER OR UNIQUE IDENTIFICATION AND INTENDED LOCATION OF PLACEMENT. CEMENT TYPE, PROPORTION AND NAME OF MANUFACTURER. FLY ASH PROPORTION (WHEN USED), LABORATORY ANALYSIS CERTIFICATION, AND NAME AND
- COURSE AGGREGATE PROPORTION, GRADATION REPORT, NAME AND LOCATION OF SUPPLIER. FINE AGGREGATE PROPORTION, GRADATION REPORT, NAME AND LOCATION OF SUPPLIER. MIXING WATER PROPORTION AND SOURCE. ADMIXTURE DOSAGES, PRODUCT NAME(S) AND MANUFACTURER NAME(S).
- FIBER REINFORCEMENT DOSAGE (WHEN USED), PRODUCT NAME AND MANUFACTURER NAME. DESIGN 28-DAY COMPRESSIVE STRENGTH (F'C).
- DESIGN SLUMP RANGE. DESIGN AIR-ENTRAINMENT (FOR CONCRETE REQUIRING ENTRAINED AIR). STATISTICAL ANALYSIS OF LABORATORY STRENGTH TEST DATA IN ACCORDANCE WITH "STANDARD DEVIATION" DETERMINATION OUTLINED IN ACI 318.

SHOP DRAWING SUBMITTALS

THE CONTRACTOR SHALL PREPARE DETAILED SHOP DRAWINGS TO ENABLE HIM TO FABRICATE, ERECT AND CONSTRUCT ALL PARTS OF THE WORK IN ACCORDANCE WITH THE DRAWINGS AND SPECIFICATIONS. THESE SHOP DRAWINGS WILL BE REVIEWED FOR GENERAL COMPLIANCE WITH THE DESIGN INTENT ONLY. THE CONTRACTOR IS RESPONSIBLE FOR ALL DIMENSIONS, ACCURACY AND FIT OF WORK.

ALL SHOP DRAWINGS SHALL BE REVIEWED BY THE CONTRACTOR PRIOR TO SUBMITTAL TO THE STRUCTURAL ENGINEER. DRAWINGS SUBMITTED WITHOUT CONTRACTOR'S REVIEW WILL BE RETURNED UNCHECKED. SUBMIT HARD COPIES OR ELECTRONIC VERSIONS OF SHOP DRAWINGS. FOR HARD COPY OPTION, SUBMIT A MINIMUM OF TWO COPIES OF SHOP DRAWINGS TO THE STRUCTURAL ENGINEER FOR REVIEW (ONE COPY SHALL BE RETAINED BY THE STRUCTURAL ENGINEER). FOR ELECTRONIC OPTION, SUBMIT SHOP DRAWINGS

SUBMIT SHOP DRAWINGS FOR EACH OF THE FOLLOWING ITEMS:

CONCRETE REINFORCEMENT

STEEL PILES

- CONCRETE MASONRY REINFORCEMENT STRUCTURAL STEEL (INCLUDING DESIGN CALCULATIONS SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE STATE WHERE THE PROJECT IS CONSTRUCTED FOR ALL CONNECTIONS NOT SPECIFICALLY DETAILED ON THE DRAWINGS)
- PRECAST CONCRETE COMPONENTS (PRECAST LINTELS, ARCHITECTURAL PRECAST) GLASS CURTAIN WALL SYSTEM (INCLUDING DESIGN CALCULATIONS AND CONNECTION DETAILS SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE STATE WHERE THE PROJECT IS CONSTRUCTED)
- POST-TENSIONING METAL MESH SYSTEM (INCLUDING DESIGN CALCULATIONS AND CONNECTION DETAILS SEALED BY A PROFESSIONAL ENGINEER REGISTERED IN THE STATE WHERE THE PROJECT IS CONSTRUCTED)

PRODUCT DATA SUBMITTALS

THE CONTRACTOR SHALL SUBMIT FOR APPROVAL PRODUCT DATA FOR THE SPECIFIC ITEMS LISTED BELOW. CONTRACTOR SHALL NOT USE PRODUCTS OTHER THAN THOSE SUBMITTED WITHOUT THE APPROVAL OF THE STRUCTURAL ENGINEER.

MANUFACTURER'S TRADE NAMES AND NUMBERS USED HEREIN ARE ONLY TO IDENTIFY COLORS, FINISHES. TEXTURES, AND PATTERNS AS A BASIS OF DESIGN. PRODUCTS OF AUTHORIZED EQUAL MANUFACTURER'S EQUIVALENT TO COLORS, FINISHES, TEXTURES, AND PATTERNS OF MANUFACTURERS LISTED THAT MEET REQUIREMENTS OF TECHNICAL SPECIFICATIONS IN EVERY RESPECT MAY BE ACCEPTABLE WITH SUBMITTAL OF A COMPLETED SUBSTITUTION REQUEST CONTAINING ALL PRODUCT DATA, TESTING AND ACTUAL SAMPLES, AND UPON APPROVAL IN WRITING BY CONTRACTING OFFICER.

SUBMIT HARD COPIES OR ELECTRONIC VERSIONS OF PRODUCT DATA. FOR HARD COPY OPTION, SUBMIT A MINIMUM OF TWO COPIES OF PRODUCT DATA TO THE STRUCTURAL ENGINEER FOR REVIEW (ONE COPY SHALL BE RETAINED BY THE STRUCTURAL ENGINEER). FOR ELECTRONIC OPTION, SUBMIT PRODUCT DATA IN ADOBE PDF FORMAT.

- FIBER REINFORCEMENT FOR CONCRETE DIAMOND PLATE DOWELS FOR SLABS ON GRADE CONCRETE CURING COMPOUND
- CONCRETE JOINT SEALANT WATER STOPS MASONRY JOINT REINFORCEMENT EXPANSION ANCHORS
- ADHESIVE ANCHORS NON-SHRINK GROUT

FOUNDATIONS

FOUNDATION EXCAVATIONS AND SOIL RELATED WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE GEOTECHNICAL PROJECT NUMBER 92155053 PREPARED BY TERRACON DATED APRIL16, 2015.

FOUNDATIONS HAVE BEEN DESIGNED BASED ON ASSUMED ALLOWABLE CAPACITIES INDICATED BELOW. CONTRACTOR SHALL ENGAGE A LICENSED GEOTECHNICAL ENGINEER TO REVIEW THE SOIL CONDITIONS AT THE SITE AS NECESSARY TO CONFIRM THE ALLOWABLE CAPACITIES PRIOR TO PLACEMENT OF THE FOUNDATIONS. CONFIRMATION OF THE ACCEPTABILITY OF THE SOILS SHALL BE REPORTED IN WRITING TO THE STRUCTURAL ENGINEER.

IF ACTUAL ALLOWABLE CAPACITIES ARE FOUND TO BE LESS THAN THE ASSUMED VALUES, THE CONTRACTOR SHALL NOTIFY THE STRUCTURAL ENGINEER IMMEDIATELY AND SHALL NOT PROCEED WITH FOUNDATION CONSTRUCTION WITHOUT REVIEW BY THE STRUCTURAL ENGINEER. FOOTING DESIGN NET ALLOWABLE BEARING PRESSURE:

STRIP FOOTINGS: NET TOTAL LOAD - 4,000 PSF NET DEAD PLUS SUSTAINED LIVE LOAD - 4,000 PSF INDIVIDUAL FOOTINGS: NET TOTAL LOAD - 6,000 PSF

FOUNDATIONS AND SOILS RELATED WORK SHALL BE INSPECTED BY A LICENSED GEOTECHNICAL ENGINEER. WRITTEN FIELD REPORTS SHALL BE FORWARDED TO THE STRUCTURAL ENGINEER AS SOON AS THEY BECOME AVAILABLE.

FOUNDATION CONDITIONS NOTED DURING CONSTRUCTION, WHICH DIFFER FROM THOSE DESCRIBED IN THE GEOTECHNICAL REPORT, SHALL BE REPORTED TO THE STRUCTURAL ENGINEER AND GEOTECHNICAL ENGINEER BEFORE FURTHER CONSTRUCTION IS ATTEMPTED.

EXCAVATIONS FOR SPREAD FOOTINGS, COMBINED FOOTINGS, CONTINUOUS FOOTINGS AND MAT FOUNDATIONS SHALL BE CLEANED AND HAND TAMPED TO UNIFORM SURFACE AND SHALL BE PROTECTED AND MAINTAINED UNIFORM UNTIL CONCRETE IS PLACED.

SIDE OF EACH WALL TO PREVENT UNBALANCED SOIL LOADS AGAINST THE WALL.

BELOW-GRADE WALLS

DO NOT BACKFILL AGAINST BELOW-GRADE CONCRETE (OR MASONRY) WALLS UNTIL THE CONCRETE (OR MASONRY ASSEMBLAGE) HAS REACHED ITS 28-DAY COMPRESSIVE STRENGTH. WHERE BACKFILL IS REQUIRED ON BOTH SIDES OF BELOW-GRADE WALLS, BACKFILL EVENLY ON EACH

REINFORCED CONCRETE HAS BEEN DESIGNED IN ACCORDANCE WITH THE BUILDING CODE

REQUIREMENTS FOR STRUCTURAL CONCRETE (ACI 318) AND COMMENTARY (ACI 318R). MIXING, TRANSPORTING, AND PLACING OF CONCRETE SHALL CONFORM TO THE LATEST EDITION OF THE SPECIFICATIONS FOR STRUCTURAL CONCRETE (ACI 301). READY-MIXED CONCRETE SHALL CONFORM TO THE REQUIREMENTS OF ASTM C94. IN CASE OF A DISCREPANCY, THE PLANS AND SPECIFICATIONS SHALL

CEMENT SHALL CONFORM TO ASTM C150, TYPE I, UNO.

FLY ASH SHALL CONFORM TO ASTM C618, CLASS C OR F. THE RATIO OF THE AMOUNT (BY WEIGHT) OF FLY ASH TO TOTAL CEMENTITIOUS MATERIALS IN THE MIX SHALL NOT EXCEED 25 PERCENT.

NORMAL WEIGHT AGGREGATES SHALL CONFORM TO ASTM C33.

WATER-REDUCING ADMIXTURES SHALL CONFORM TO ASTM C494.

AIR-ENTRAINING ADMIXTURES SHALL CONFORM TO ASTM C260 AND SHALL BE CERTIFIED BY THE MANUFACTURER TO BE COMPATIBLE WITH OTHER ADMIXTURES.

CALCIUM CHLORIDE ADMIXTURES OR ADMIXTURES CONTAINING MORE THAN 0.1 PERCENT CHLORIDE IONS

IN COLD WEATHER CONDITIONS, MIXING, PLACING, FINISHING, CURING AND PROTECTION OF CONCRETE SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITION OF ACI 306R, COLD WEATHER

IN HOT WEATHER CONDITIONS, MIXING, PLACING, FINISHING, CURING AND PROTECTION OF CONCRETE SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITION OF ACI 305R, HOT WEATHER

USE OF CONSTRUCTION JOINTS AT LOCATIONS OTHER THAN THOSE INDICATED ON THE DRAWINGS SHALL BE SUBMITTED TO THE STRUCTURAL ENGINEER FOR REVIEW.

SLUMP FOR PUMPED CONCRETE SHALL BE MEASURED AT POINT OF DISCHARGE.

NORMAL WEIGHT CONCRETE SHALL BE USED IN THE FOLLOWING AREAS AND SHALL HAVE THE PROPERTIES AS SHOWN BELOW:

DESCRIPTION	<u>MIX</u>	MAX CHLORIDE ION	MAX W/C RATIO	AVG ENTRAINE
SPREAD FOOTINGS	4000 STD	0.30	0.50	N/A
COLUMNS	5000 CNA/SPA	0.15	0.40	6-1/2%
BEAMS, SLABS & STAIRS	5000 CNA/SPA	0.06	0.40	6-1/2%
SLAB-ON-GRADE	4000 SF	0.15	0.40	6-1/2%
WALLS	5000 CNA/SPA	0.15	0.40	6-1/2%
ISLANDS & HOUSE- KEEPING PADS	4000 STD/F	0.15	0.40	6-1/2%

0.30

0.40

6-1/2%

STD: DESIGNATES A CONCRETE MIX DESIGN IN ACCORDANCE WITH SPECIFICATION SECTION 03 30 00 WHICH DOES NOT REQUIRE A SILICA FUME, GGBS/FLY ASH OR CALCIUM NITRATE

4000 STD

- CNA: DESIGNATES A CONCRETE MIX DESIGN IN ACCORDANCE WITH SPECIFICATION SECTION 03 30 00 WHICH CONTAINS 3 GAL/CY OF CALCIUM NITRATE CORROSION-INHIBITOR
- SPA: DESIGNATES A CONCRETE MIX DESIGN IN ACCORDANCE WITH SPECIFICATION SECTION 03 30 00 WHICH CONTAINS 12% MINIMUM OF GGBS BY WEIGHT OF CEMENT AND 20% MINIMUM OF FLY ASH BY WEIGHT OF CEMENT. SUFFIX-S: DESIGNATES A CONCRETE MIX DESIGN WITH 1-1/2 LBS STRUCTURAL MACRO
- FIBERS PER CUBIC YARD OF CONCRETE OR 1 LBS MICROFILAMENT REINFORCEMENT PER CUBIC YARD OF CONCRETE. SUFFIX-SF: DESIGNATES A CONCRETE MIX DESIGN WITH 4-1/2 LBS STRUCTURAL MACRO FIBERS PER CUBIC YARD OF CONCRETE.
- ALL NORMAL WEIGHT CONCRETE TO HAVE A DENSITY OF APPROXIMATELY 145 PCF UNLESS AVERAGE AIR-ENTRAINED VALUES ARE FOR IN-PLACE CONCRETE. TOLERANCE ON TOTAL AIR CONTENT IS 1-1/2% PER ACI.
- ALL AIR-ENTRAINED CONCRETE SHALL INCLUDE 564 LBS OF CEMENT MINIMUM PER CUBIC YARD OF CONCRETE. THE WEIGHT OF FLY ASH AND GGBS ADMIXTURE(S) MAY BE INCLUDED WITH THE WEIGHT OF CEMENT.

ALL OTHERS

DESIGN AND INSTALL PRECAST PLANKS IN ACCORDANCE WITH ACI 318 AND THE PCI DESIGN HANDBOOK. CURRENT EDITIONS. DESIGN FOR LOADS INDICATED ON THE DRAWINGS.

PROVIDE OPENINGS (AND OPENING FRAMING WHERE REQUIRED) FOR ALL PENETRATIONS. REFER TO THE MECHANICAL DRAWINGS FOR MECHANICAL PENETRATIONS AND COORDINATE FINAL LOCATIONS AND SIZES WITH HOLLOW CORE PRECAST PLANKS

PROVIDE OPENINGS (AND OPENING FRAMING WHERE REQUIRED) FOR ALL PENETRATIONS. REFER TO THE MECHANICAL DRAWINGS FOR MECHANICAL PENETRATIONS AND COORDINATE FINAL LOCATIONS AND SIZES WITH THE MECHANICAL CONTRACTOR.

STRUCTURAL PRECAST CONCRETE (GENERAL)

SUPPLIER OF STRUCTURAL PRECAST CONCRETE IS RESPONSIBLE FOR THE DESIGN, DETAILING, AND INSTALLATION OF THE PRECAST MEMBERS AND CONNECTIONS. DESIGN AND INSTALL PANELS IN ACCORDANCE WITH ACI 318 AND THE PCI DESIGN HANDBOOK, CURRENT EDITIONS, MANUFACTURE IN ACCORDANCE WITH MANUAL FOR QUALITY CONTROL FOR PLANTS AND PRODUCTION OF STRUCTURAL PRECAST CONCRETE PRODUCTS (PCI MNL 116).

THE PRECAST SUPPLIER SHALL ENGAGE A PROFESSIONAL ENGINEER LICENSED IN THE STATE WHERE THE PROJECT IS CONSTRUCTED TO PERFORM THE DESIGN.

PRECAST SUPPLIER IS RESPONSIBLE FOR TEMPORARY BRACING, GUYS, TIEDOWNS, DEADMEN, ETC. AS REQUIRED TO SUPPORT STRUCTURAL PRECAST UNTIL THE STRUCTURAL FRAMING SYSTEM AND DECKING INSTALLATION ARE COMPLETE AND FINAL STABILITY IS ACHIEVED.

CONTRACTOR SHALL DESIGN ALL PRECAST MEMBERS AND ERECTION ASSEMBLIES FOR DESIGN AND TEMPORARY ERECTION FORCES, ERECTION SEQUENCING, GUY STAYING AND SHORING. CONTRACTOR SHALL CONFIRM ALL APPROPRIATE CONNECTIONS ARE COMPLETED AND REQUIRED GROUTING HAS OCCURRED TO ENSURE STABILITY DURING CONSTRUCTION BEFORE ERECTING STRUCTURE VERTICALLY.

BY THE PRECASTER, UNLESS NOTED OTHERWISE.

EMBEDS AND OTHER STEEL ITEMS TO BE EMBEDDED IN THE PRECAST ARE TO BE PROVIDED AND INSTALLED

STRUCTURAL STEEL ITEMS TO BE FIELD WELDED TO EMBEDDED ITEMS IN THE PRECAST ARE TO BE PROVIDED AND INSTALLED BY THE STEEL ERECTOR, UNLESS NOTED OTHERWISE.

EMBEDS AND OTHER ITEMS TO BE EMBEDDED IN CAST-IN-PLACE CONCRETE SHALL BE SUPPLIED BY THE PRECASTER AND INSTALLED BY THE CONCRETE CONTRACTOR, UNLESS NOTED OTHERWISE.

IF THE DETAILS INDICATED ON THESE DRAWINGS NEED TO BE MODIFIED TO ACCOMMODATE THE PRECAST SUPPLIER'S FABRICATION OR INSTALLATION STANDARDS. THE PRECASTER MUST INFORM THE STRUCTURAL ENGINEER AND ALL AFFECTED FABRICATORS AND CONTRACTORS PRIOR TO FABRICATION OF AFFECTED MATERIALS. MODIFICATIONS REQUESTED BY THE PRECASTER AFTER THE AFFECTED ITEMS ARE FABRICATED. SHALL BE SOLELY THE RESPONSIBILITY OF THE PRECASTER (INCLUDING ENGINEERING, MATERIAL AND INSTALLATION) AND SHALL BE PROVIDED AT NO ADDITIONAL COST TO THE PROJECT.

COORDINATE ALL OPENINGS, REVEALS, DRIP EDGES, BLOCKOUTS, INSERTS, ETC. TO BE CAST INTO PRECAST MEMBERS WITH STRUCTURAL, ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS. AS PART OF THE SUBMITTAL PROCESS COORDINATION OF EXACT SIZES IS REQUIRED AND SHALL BE PERFORMED BY THE CONTRACTOR.

DESCRIPTION	F'C PSI, MIX	MAX W/C RATIO	AVERAGE ENTRAINED AIR	MAXIMUM SLUMP	MAXIMUM COARSE AGGREGATE SIZE
COLUMNS, LIGHT WALLS & WALLS	6000 STD	0.38	5.5% +/- 1%	N/A	.75"
BEAMS, DOUBLE TEES (PRETOPPED), STAIRS & SPANDRELS	6000 CNA	0.38	5.5% +/- 1%	N/A	.75"
CAST-IN-PLACE TOPPING, WASHES & POUR STRIPS	4000 CNA	0.40	5.5% +/- 1%	N/A	.75"
OTES:					

"STD" INDICATES A CONCRETE MIX DESIGN IN ACCORDANCE WITH SPECIFICATION WHICH DOES NOT REQUIRE A SILICA FUME. GGBS/FLY ASH OR CALCIUM NITRITE ADMIXTURE. "CNA" INDICATES A CONCRETE MIX DESIGN IN ACCORDANCE WITH SPECIFICATION WHICH CONTAINS 3 GAL/CYD OF CALCIUM NITRITE CORROSION-INHIBITOR ADMIXTURE. MAXIMUM WATER SOLUBLE CHLORIDE ION CONTENT FROM ALL CONCRETE CONSTITUENTS SHALL NOT EXCEED 0.06% OF WEIGHT OF CEMENT FOR ALL PRESTRESSED CONCRETE ELEMENTS. 0.15% OF WEIGHT OF CONCRETE FOR CAST-IN-PLACE TOPPINGS, WASHES & POUR STRIPS AND 0.30% FOR ALL OTHER CONCRETE ELEMENTS.

LOAD BEARING PRECAST CONCRETE WALL PANELS

LOAD BEARING PRECAST WALL PANELS ARE USED TO SUPPORT GRAVITY AND LATERAL LOADS. PRECAST PANELS ARE TO BE DESIGNED FOR THE REACTIONS AND LOAD INFORMATION INDICATED ON THE DRAWINGS AND IN ACCORDANCE WITH THE GOVERNING BUILDING CODE.

SHORING/RE-SHORING

THE SHORING AND/OR RE-SHORING DESIGN FOR CONCRETE FRAME SYSTEMS IS THE RESPONSIBILITY OF THE CONTRACTOR. TEMPORARY SHORING FOR SLABS, BEAMS, AND GIRDERS SHALL BE ADEQUATE TO CARRY THE TOTAL WEIGHT OF THE SLAB-BEAM-GIRDER SYSTEM AND ANY TEMPORARY CONSTRUCTION LOADS TO BE IMPOSED ON THE STRUCTURAL SYSTEM. SHORING FOR A LEVEL SHALL NOT BE REMOVED UNTIL THE CONCRETE AT THAT LEVEL HAS ATTAINED THE SPECIFIED COMPRESSIVE STRENGTH (F'C). REMOVAL OF SHORING AND/OR RESHORING SHALL NOT CAUSE OVERSTRESSING OF ANY STRUCTURAL ELEMENTS.

CONCRETE SLABS ON GRADE

SLABS ON GRADE SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST EDITION OF THE GUIDE FOR CONCRETE FLOOR AND SLAB CONSTRUCTION (ACI 302.1R).

PLACE CONCRETE IN A MANNER SO AS TO PREVENT SEGREGATION OF THE MIX. DELAY FLOATING AND TROWELING OPERATIONS UNTIL THE CONCRETE HAS LOST SURFACE WATER SHEEN OR ALL FREE WATER. DO NOT SPRINKLE FREE CEMENT ON THE SLAB SURFACE.

DISSIPATING-RESIN LIQUID CURING COMPOUND CONFORMING TO ASTM C309, UNLESS NOTED OTHERWISE. ALL SCUFFS OR ABRASIONS TO THE CURING MEMBRANE SHALL BE RECOATED DAILY. OTHER CURING METHODS MAY BE USED WITH APPROVAL BY THE STRUCTURAL ENGINEER.

UNLESS SHOWN OR NOTED OTHERWISE, PROVIDE CONTROL OR CONSTRUCTION JOINTS IN SLABS-ON-GRADE AT A MAXIMUM SPACING OF 36 TIMES THE SLAB THICKNESS. PROVIDE JOINTS AT ALL COLUMN LOCATIONS. LOCATE JOINTS TO ELIMINATE RE-ENTRANT CORNERS AND TO CREATE SQUARE OR RECTANGULAR SECTIONS WITH MAXIMUM LONG SIDE TO SHORT SIDE RATIO OF 1.5 TO 1.

PROVIDE CURING OF CONCRETE SLABS IMMEDIATELY AFTER FINISHING USING A SPRAYED ON

CONTROL JOINTS IN SLABS ON GRADE SHALL NOT RECEIVE JOINT FILLER MATERIAL UNLESS NOTED

PREPARE SUBGRADE PER GEOTECH REPORT SECTIONS "4.2 EARTH WORK" & 4.4 FLOOR SLAB".PROVIDE A MINIMUM OF 5 FEET OF PROPERLY PLACED AND COMPACTED SELECT FILL MATERIAL BENEATH THE

REINFORCING STEEL

YIELD STRENGTH OF 60,000 PSI. REINFORCING BAR DETAILING, FABRICATING, AND PLACING SHALL CONFORM TO THE LATEST EDITION OF

THE FOLLOWING STANDARDS: ACI 301, ACI 315, ACI 318 AND ACI DETAILING MANUAL (SP66). UNLESS A GREATER AMOUNT OF COVER IS INDICATED ON THE DRAWINGS, PROVIDE THE FOLLOWING MINIMUM CONCRETE COVER OVER REINFORCEMENT AS FOLLOWS:

<u>DESCRIPTION</u>	COVER
FOOTINGS	3"
BEAMS TOP REINFORCING	3"
BEAMS BOTTOM REINFORCING	2"
BEAM STIRRUPS AT SIDE AND BOTTOM	1-1/2"
BEAM STIRRUPS AT TOP	2-1/2"
COLUMNS MAIN REINFORCING	2-1/2"
COLUMN TIES	2"
SLAB TOP REINFORCING	2"
SLAB BOTTOM REINFORCING	1"
SLAB-ON-GRADE	2" FROM TOP
WALLS NOT IN CONTACT WITH EARTH	1-1/2"
WALLS IN CONTACT WITH EARTH	2"

REINFORCING STEEL SHALL NOT BE TACK WELDED, WELDED, HEATED OR CUT UNLESS INDICATED ON THE CONTRACT DOCUMENTS OR APPROVED BY THE STRUCTURAL ENGINEER.

WHERE LAP SPLICE LENGTHS ARE NOT SHOWN OR NOTED, PROVIDE A CLASS "B" LAP. ALL 90 DEGREE AND 180 DEGREE BENDS SHOWN ON THE DRAWINGS SHALL BE STANDARD HOOKS, UNLESS

PROVIDE CORNER BARS OF SAME SIZE AND SPACING AS HORIZONTAL BARS AT CORNERS OF ALL WALLS AND GRADE BEAMS. LAP SPLICE CORNER BARS WITH STRAIGHT BARS.

UNI ESS OTHERWISE SHOWN OR NOTED. PROVIDE 2-#5 BARS (ONE EACH FACE) AROUND UNFRAMED OPENINGS IN CONCRETE WALLS AND GRADE BEAMS. PLACE BARS PARALLEL TO THE SIDES OF THE

WELDABLE REINFORCING STEEL

OPENING AND EXTEND 24" BEYOND CORNERS.

NOTED OTHERWISE.

REINFORCING STEEL WHICH IS TO BE WELDED SHALL CONFORM TO ASTM A706. WELDING OF REINFORCING STEEL. WHEN APPROVED BY THE STRUCTURAL ENGINEER. SHALL CONFORM TO THE LATEST EDITION OF AMERICAN WELDING SOCIETY STANDARD D1.4. ELECTRODES FOR SHOP AND FIELD WELDING OF REINFORCING STEEL SHALL CONFORM TO ASTM A233, CLASS E90XX.

FIBER REINFORCEMENT

INTRODUCED INTO THE CONCRETE MIX AT THE BATCH PLANT, IN ACCORDANCE WITH THE MANUFACTURER'S ASTM A123. RECOMMENDATIONS. DOSAGE SHALL BE 1.5 POUNDS PER CUBIC YARD OF CONCRETE.

CONCRETE TESTING

MAKE ONE SET OF TEST CYLINDERS IN ACCORDANCE WITH ASTM C31 FOR EACH DAY'S POUR AND FOR EACH 100 CUBIC YARDS. EACH SET SHALL INCLUDE ONE SPECIMEN TESTED AT 7 DAYS, 2 SPECIMENS TESTED AT 28 DAYS AND ONE SPECIMEN RETAINED IN RESERVE TO BE TESTED AT THE DIRECTION OF THE STRUCTURAL ENGINEER. SPARE CYLINDER MAY BE DISCARDED 90 DAYS AFTER CASTING UNLESS DIRECTED OTHERWISE BY THE STRUCTURAL ENGINEER. THIS SET OF TEST CYLINDERS SHALL BE

PROTECTED AGAINST FREEZING. WHEN THE AMBIENT TEMPERATURE IS EXPECTED TO FALL BELOW 40 DEGREES DURING THE COURSE OF A CONCRETE POUR OR SUBSEQUENT CURING PROCESS, AN ADDITIONAL SET OF CONCRETE TEST CYLINDERS SHALL BE MADE AND TESTED. THESE CYLINDERS SHALL BE STORED IMMEDIATELY ADJACENT TO, AND CURED UNDER THE SAME CONDITIONS AS THE BUILDING CONCRETE. SPECIAL

FORWARD COPIES OF TEST RESULTS TO THE ARCHITECT, STRUCTURAL ENGINEER, READY-MIX SUPPLIER, CONTRACTOR AND COR WITHIN 24 HOURS AFTER TESTING.

CURING BOXES ARE NOT PERMITTED FOR THESE TEST CYLINDERS.

EXPANSION ANCHORS

EXPANSION ANCHORS SHALL BE CARBON STEEL ANCHORS AS MANUFACTURED BY HILTI FASTENING SYSTEMS OR AN EQUIVALENT SUBSTITUTE APPROVED BY THE STRUCTURAL ENGINEER AND SHALL BE INSTALLED IN CONFORMANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.

EXPANSION ANCHORS SHALL NOT BE INSTALLED IN CONCRETE UNTIL IT HAS ATTAINED ITS SPECIFIED MINIMUM 28 DAY COMPRESSIVE STRENGTH.

ADHESIVE ANCHORS

ADHESIVE ANCHORS SHALL BE HILTI "HIT HY200" FOR SOLID SUBSTRATE AND HILTI "HIT HY70" FOR HOLLOW SUBSTRATE OR AN EQUIVALENT SUBSTITUTE APPROVED BY THE STRUCTURAL ENGINEER, UNLESS NOTED OTHERWISE ON PLANS. ANCHORS SHALL BE INSTALLED IN CONFORMANCE WITH THE MANUFACTURER'S RECOMMENDATIONS BY INSTALLERS TRAINED BY THE MANUFACTURER'S REPRESENTATIVE.

MINIMUM EMBEDMENT DEPTH SHALL BE 8 BOLT DIAMETERS UNLESS NOTED OTHERWISE.

NON-SHRINK GROUT

GROUT SHALL BE A NON-METALLIC, SHRINKAGE RESISTANT (WHEN TESTED IN ACCORDANCE WITH THE LATEST EDITION OF ASTM C827 OR CRD-C621), PREMIXED, NON-CORROSIVE, NON-STAINING PRODUCT CONTAINING PORTLAND CEMENT, SILICA SANDS, SHRINKAGE COMPENSATING AGENTS AND FLUIDITY IMPROVING COMPOUNDS. GROUT SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH (F'C) OF 5,000 PSI IN

SELF-EXPANDING STRIP WATER STOPS SHALL BE VOLCLAY WATERSTOP-RX 101 UNLESS NOTED OTHERWISE. INSTALL IN ACCORDANCE WITH MANUFACTURER'S WRITTEN INSTRUCTIONS.

PROVIDE FACTORY MADE WATERSTOP FABRICATIONS FOR ALL CHANGES OF DIRECTION, INTERSECTIONS, AND

TRANSITIONS LEAVING ONLY STRAIGHT BUTT JOINT SPLICES FOR THE FIELD. PROVIDE HOG RINGS OR GROMMETS SPACED AT 12 INCHES ON CENTER ALONG LENGTH OF WATERSTOP.

PROVIDE TEFLON COATED THERMOSTATICALLY CONTROLLED WATERSTOP SPLICING IRONS FOR FIELD BUTT

GROMMETS SPACED AT 12 INCHES ON CENTER ALONG THE LENGTH OF THE WATERSTOP AND WIRE TIE TO

FIELD BUTT SPLICES SHALL BE HEAT FUSED WELDED USING A TEFLON COATED THERMOSTATICALLY CONTROLLED WATERSTOP SPLICING IRON AT APPROXIMATELY 380 DEGREES F. FOLLOW APPROVED

MANUFACTURER RECOMMENDATIONS. LAPPING OF WATERSTOP, USE OF ADHESIVES, OR SOLVENTS SHALL NOT BE ALLOWED. CENTER WATERSTOP IN JOINT AND SECURE WATERSTOP IN CORRECT POSITION USING HOG RINGS OR

ADJACENT REINFORCING STEEL.

MASTIC COATING FOR PROTECTION OF INDICATED ITEMS SHALL BE BITUMASTIC 50 COAL TAR MASTIC BY CARBOLINE OR EQUIVALENT SUBSTITUTE APPROVED BY THE STRUCTURAL ENGINEER. INSTALL AT REINFORCING STEEL SHALL BE DEFORMED BARS CONFORMING TO ASTM A615 AND SHALL HAVE A MINIMUM LOCATIONS INDICATED ON DRAWINGS.

> UNLESS NOTED OTHERWISE, APPLY MASTIC TO A COATING THICKNESS OF 18 MILS. PROVIDE FULL COVERAGE OVER ITEMS INDICATED TO RECEIVE COATING.

STRUCTURAL STEEL DETAILING, FABRICATION AND ERECTION SHALL CONFORM TO THE ANSI/AISC 360 SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS, LATEST EDITION WITH AMENDMENTS, AND THE AISC

303 CODE OF STANDARD PRACTICE FOR STEEL BUILDINGS AND BRIDGES, LATEST EDITION WITH

STRUCTURAL STEEL WIDE FLANGE SHAPES SHALL CONFORM TO ASTM A992, 50 KSI.

STRUCTURAL STEEL PLATES AND ROLLED SHAPES OTHER THAN WIDE-FLANGE SHAPES SHALL CONFORM

TO ASTM A36, UNLESS NOTED OTHERWISE.

STRUCTURAL STEEL TUBING SHALL CONFORM TO ASTM A500, GRADE B. STRUCTURAL PIPE SHALL CONFORM TO ASTM A53, GRADE B.

ANCHOR RODS SHALL CONFORM TO ASTM F1554, GRADE 36, UNLESS NOTED OTHERWISE. STEEL STUDS SHALL CONFORM TO ASTM A108.

BOLTED CONNECTIONS SHALL CONFORM TO THE SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS, APPROVED BY THE RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS OF THE ENGINEERING FOUNDATION. BOLTED CONNECTIONS FOR STRUCTURAL STEEL MEMBERS SHALL BE MADE WITH 3/4" DIAMETER A325 BOLTS, UNLESS NOTED OTHERWISE. BOLTED CONNECTIONS SHALL BE TIGHTENED TO THE SNUG TIGHT CONDITION, EXCEPT BOLTED CONNECTIONS IN BRACE ELEMENTS ARE TO

BE FULLY PRETENSIONED WITH CLASS A FAYING SURFACES. WELDING PROCEDURES SHALL CONFORM TO THE LATEST EDITION OF THE AMERICAN WELDING SOCIETY'S

WELDED CONNECTIONS USING ASTM A992 STEEL AS A BASE METAL SHALL BE MADE WITH E70XX LOW HYDROGEN ELECTRODES. UNLESS OTHERWISE SHOWN OR NOTED ON THE DRAWINGS, OTHER WELDEL CONNECTIONS MAY BE MADE WITH STANDARD E70XX ELECTRODES.

STRUCTURAL STEEL THAT RECEIVES FINISH PAINT SHALL BE SHOP-PRIMED WITH A RUST-INHIBITING PRIMER, UNLESS NOTED OTHERWISE ON THE DRAWINGS. CONTRACTOR SHALL VERIFY PRIMER IS COMPATIBLE WITH FINISH COAT SYSTEM SPECIFIED BY THE ARCHITECT. COORDINATE FINISH PAINTING REQUIREMENTS WITH THE ARCHITECT.

STRUCTURAL STEEL THAT IS NOT EXPOSED IN THE FINISHED CONSTRUCTION AND DOES NOT RECEIVE FINISH PAINT SHALL NOT BE SHOP-PRIMED, UNLESS NOTED OTHERWISE ON THE DRAWINGS. FIBER REINFORCEMENT SHALL BE 3/4" LONG, VIRGIN (NON-RECYCLED) NYLON OR POLYPROPYLENE FIBERS, STRUCTURAL STEEL NOTED TO BE GALVANIZED SHALL BE HOT-DIP GALVANIZED IN CONFORMANCE WITH

DO NOT PAINT OR GALVANIZE THE FOLLOWING SURFACES:

STRUCTURAL WELDING CODE FOR STEEL ANSI/AWS D1.1.

SURFACES TO BE WELDED. 2. SURFACES TO RECEIVE BOLTED SLIP-CRITICAL CONNECTIONS. 3. SURFACES TO RECEIVE SHEAR STUD CONNECTIONS.

4. SURFACES TO RECEIVE SPRAYED-ON FIREPROOFING. ALL ABRASIONS TO GALVANIZED SURFACES OR SURFACES TO RECEIVE AN ARCHITECTURAL FINISH COAT SHALL BE TOUCHED-UP AFTER ERECTION IS COMPLETE. FOR PAINTED STEEL, USE A PRIMER EQUIVALENT TO THE SHOP PAINT. FOR GALVANIZED STEEL, USE A ZINC-RICH COLD-GALVANIZING PAINT.

DESIGN CONNECTIONS NOT SHOWN IN ACCORDANCE WITH THE ASD SPECIFICATION AND MANUAL OF STEEL CONSTRUCTION. UNLESS NOTED OTHERWISE ON THE DRAWINGS, DESIGN BEAM CONNECTIONS NOT SHOWN, TO SUPPORT A MINIMUM OF A 10 KIP SHEAR REACTION. PROVIDE NO LESS THAN 2 BOLTS IN ANY SINGLE LINE OF BOLTS, UNLESS SPECIFICALLY INDICATED ON THE DRAWINGS.

PROVIDE L4X4X1/4 FRAMED OPENINGS FOR ALL ROOF PENETRATIONS 12 INCHES OR LARGER ALONG ANY SIDE, UNLESS LARGER FRAMING IS INDICATED. REFER TO MECHANICAL AND PLUMBING DRAWINGS FOR PENETRATIONS. COORDINATE FRAMED OPENING SIZES AND LOCATIONS WITH THE MECHANICAL AND

PLUMBING CONTRACTORS. GALVANIZE ALL EXPOSED STEEL.

GLASS CURTAIN WALLS

SUPPLIER OF GLASS CURTAIN WALL IS RESPONSIBLE FOR THE DESIGN, DETAILING AND INSTALLATION OF THE CURTAIN WALL SYSTEM.

STEEL REQUIRED TO TRANSMIT THE GRAVITY AND/OR LATERAL LOADS TO THE STRUCTURE NOT DETAILED ON THE STRUCTURAL DRAWINGS IS THE RESPONSIBILITY OF THE CURTAIN WALL SUPPLIER TO DESIGN, DETAIL AND INSTALL.

CONNECTIONS TO TRANSMIT LATERAL LOADS TO THE STRUCTURE SHALL NOT BE MADE TO THE BOTTOM FLANGES OF BEAMS, BOTTOM CHORDS OF JOIST GIRDERS OR BOTTOM CHORDS OF JOISTS WITHOUT APPROVAL OF THE STRUCTURAL ENGINEER.

WHERE KNEE WALLS ARE PRESENT UNDER THE GLASS CURTAIN WALL SYSTEM THE VERTICAL MULLIONS SHALL NOT STOP AT THE TOP OF THE KNEE WALL BUT SHALL EXTEND DOWN TO THE STRUCTURE AND THE DESIGN SHALL NOT ASSUME THE KNEE WALL BRACES THE CURTAIN WALL.

ELEVATORS

CONTRACTOR SHALL COORDINATE ELEVATOR PITS, SHAFTS, SLAB OPENINGS, FRAMING LOCATIONS, GUIDE RAIL SUPPORTS, DIVIDER BEAMS, HOIST BEAMS AND SUMP PITS WITH ELEVATOR SUPPLIER PRIOR TO CONSTRUCTION AS REQUIRED FOR PROPER INSTALLATION AND OPERATION.

COORDINATE ANY REQUIRED STRUCTURAL MODIFICATIONS WITH THE STRUCTURAL ENGINEER PRIOR TO


FABRICATION AND/OR INSTALLATION OF ANY STRUCTURAL ELEMENTS. THE ELEVATOR HOIST BEAMS HAVE BEEN DESIGNED FOR A 10 KIP LOAD. CONTACT ENGINEER IF SELECTED ELEVATOR HAS A HOIST LOAD GREATER THAN 10 KIP.

Michael E. DeBakey VAMC

2002 Holcombe BLVD, Houston TX 77030

U.S. Department of Veterans Affairs





ARCHITECT/ENGINEERS: PROJECT LEAD Architect, Structural Engineer 905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46204

APOGEE CONSULTING GROUP, PA 1151 Kildare Farm Road, Cary, NC 27511 T: 919.858.7420

CMTA CONSULTING **ENGINEERS** 1610 Woodstead Court, 1225 North Loop Woodlands, TX 77380 T: 281.419.9899

West,Suite 900 Houston, TX 77008 Frisco, TX 75034 T: 469.777.5143 T: 713.864.2900

Civil Engineer Functional Design CARL WALKER INC. 2801 Network Blvd.,

Drawing Title

GENERAL NOTES

BUILD PARKING Approved for Design Concept: **FACILITY MANAGEMENT DIVISION MANAGER**

GARAGE A Michael E. DeBakey VAMC, Houston, TX Checked By: | Drawn By WJT

100% CONSTRUCTION DOCUMENTS


Project Title


OFFICE OF **FACILITIES** Building Number **MANAGEMENT** VA Project Number Drawing Number 580-321

Guidon Design Project #

U.S. Department of Veterans Affairs







DESIGN DATA

2012 INTERNATIONAL BUILDING CODE.

SNOW LOAD DESIGN DATA

WIND LOAD DESIGN DATA

EARTHQUAKE DESIGN DATA

SEE LOAD MAPS FOR FLOOR LOADING CRITERIA.

THE BUILDING STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH THE

GROUND SNOW LOAD (PG) = 0 PSF LOW-SLOPE ROOF SNOW LOAD (PF) = 0 PSF SNOW EXPOSURE FACTOR (CE) = 1.0 THERMAL FACTOR (CT) = 1.2

SNOW LOAD IMPORTANCE FACTOR (IS) = 1.0

SEISMIC IMPORTANCE FACTOR (IE) = 1.0

RESPONSE MODIFICATION COEFFICIENT (R) = 3.0

SEISMIC RESPONSE COEFFICIENT (CS) = 0.01

OCCUPANCY CATEGORY = II

SEISMIC DESIGN CATEGORY = A SITE CLASSIFICATION = D

WIND EXPOSURE = B

BASIC WIND SPEED (3-SECOND GUST) = 135 MPH WIND LOAD IMPORTANCE FACTOR (IW) = 1.0


WIND DESIGN PRESSURE (P) = VARIES WITH HEIGHT AND LOCATION

SHORT PERIOD MAPPED, 5 PERCENT DAMPED, SPECTRAL RESPONSE ACCELERATION (SS) = 0.087 1-SECOND MAPPED, 5 PERCENT DAMPED, SPECTRAL RESPONSE ACCELERATION (S1) = 0.036

DESIGN, 5 PERCENT DAMPED, SHORT PERIOD SPECTRAL RESPONSE COEFFICIENT (SDS) = 0.094 DESIGN, 5 PERCENT DAMPED, 1-SECOND SPECTRAL RESPONSE COEFFICIENT (SD1) = 0.058

ANALYSIS PROCEDURE UTILIZED = EQUIVALENT LATERAL FORCE PROCEDURE

BASIC STRUCTURAL SYSTEM / SEISMIC RESISTING SYSTEM: A.6 - ORDINARY PRECAST CONCRETE SHEAR WALLS





			FLOOR	LOAD SC	HEDULE		
MARK	OCCUDANCY/USE	SDL SDL		LL	SL		
IVIANN	OCCUPANCY/USE	DEAD LOAD (PSF)	DESCRIPTION	POINT LOAD (LBS)	DESCRIPTION	LIVE LOAD (PSF)	SNOW LOAD (PSF)
Α	TYP FLOOR	5	NOTE 1	-	-	40 (NR)	0
В	STAIRS	5	NOTE 1	-	-	100 (NR)	0
С	ROOF	20	NOTE 1	-	-	20	0

FOUNDATION REACTION TABLE							
GRID	SERVI	SERVICE LEVEL AXIAL LOAD		GRID	SERVICE LEVEL AXIAL LOAD		
LOCATION	DEAD LOAD (KIPS)	LIVE LOAD (KIPS)	TOTAL LOAD (KIPS)	LOCATION	DEAD LOAD (KIPS)	LIVE LOAD (KIPS)	TOTAL LOAD (KIPS)
A-1	395	90	485	B-9	575	150	725
A-2	495	155	650	B.6-1 *	100	5	105
A-3	440	135	575	B.6-8.8 *	110	45	155
A-4	440	135	575	B.6-9 *	150	45	195
A-5	440	135	575	C-1.3 *	255	90	345
A-6	440	135	575	C-2	435	130	565
A-7	440	135	575	C-3	365	100	465
A-8	425	130	555	C-4	300	90	390
A-8.7	265	65	330	C-5	300	90	390
A.3-8.7	120	20	140	C-6	305	90	395
A.3-9	165	20	185	C-7	330	95	425
B-1	650	175	825	C-8	440	135	575
B-2	530	180	710	C-8.8 *	255	75	330
B-8	525	180	705				


NOTE: * INDICATES THAT THE COLUMN IS ABOVE MAT BASE

Project Title

100% CONSTRUCTION DOCUMENTS



Revisions:





11,	ARCHITECT/ENGINEERS:
11110E	PROJECT LEAD Architect, Structural Engineer
2	GUIDON
	905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46204 317.800.6388

IITECT/ENGINEERS:				
CT LEAD ct, Structural Engineer	Mech & Plumb Engineer APOGEE CONSULTI GROUP, PA			
DESIGN PITOL AVE. SUITE 100 OLIS, IN. 46204 388	1151 Kildare Farm Ro Suite 120, Cary, NC 27511 T: 919.858.7420			

Plumb r	Elec Engineer	Civil Engineer	Functional Design
ONSULTING	CMTA CONSULTING ENGINEERS	H2B Inc	CARL WALKER INC.
e Farm Road, 511	1610 Woodstead Court, Suite 105 Woodlands, TX 77380	1225 North Loop West,Suite 900 Houston, TX 77008	2801 Network Blvd., Suite 101 Frisco, TX 75034
'420	T: 281.419.9899	T: 713.864.2900	T: 469.777.5143


ROOF LOAD MAP


LOAD MAP	BUILD PARKING GARAGE A
Approved for Design Concept:	Location
FACILITY MANAGEMENT	Michael E. DeBakey VAMC, Houston, T
DIVISION MANAGER	Date Checked By: Drawn By:


Guidon Design Project # OFFICE OF 14.1037 **FACILITIES Building Number** MANAGEMENT Drawing Number VA Project Number 580-321





2015/10/16
















PROVIDE WALL BRACING UNTIL ALL SLABS ON GRADE ARE IN PLACE FOR WALLS ALONG GRID C BETWEEN GRIDS 2 AND 7 AND ALONG GRID 7. PREPARE SUBGRADE PER GEOTECH REPORT SECTIONS "4.2 EARTH WORK" & 4.4 FLOOR SLAB".PROVIDE A MINIMUM OF 5 FEET OF PROPERLY PLACED AND COMPACTED SELECT FILL MATERIAL BENEATH THE FLOOR SLAB.

	COLUMN SCHEDULE					
MARK	SIZE	REMARKS				
C1	24"x24"					
C2	33"x24"					
C3	33"x33"					




ISOMETRIC KEYPLAN



Revisions:

U.S. Department of Veterans Affairs





A VANDERWILL	ARCHITECT/ENGINE
NO. 10809552	PROJECT LEAD Architect, Structural Engir
STATE OF	GUIDON
WOIANA CHILLIANA	905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46204 317.800.6388


ARCHITECT/ENGINE	ERS:
,	•
GUIDON	APOGEE (GROUP, P
DES	IGN 1151 Kilda Suite 120,
905 N. CAPITOL AVE. SUITE 100	Cary, NC 2
317.800.6388	T: 919.858
	Architect, Structural Engir GUIDON DESI 905 N. CAPITOL AVE. SUITE 100 INDIANAPOLIS, IN. 46204


Mech & Plumb Engineer	Elec Engineer	Civil E
APOGEE CONSULTING GROUP, PA	CMTA CONSULTING ENGINEERS	H2B Inc
1151 Kildare Farm Road, Suite 120, Cary, NC 27511	1610 Woodstead Court, Suite 105 Woodlands, TX 77380	1225 No West,Su Houston
T: 919.858.7420	T: 281.419.9899	T: 713.8


Civil Engineer	Functional Design
H2B Inc	CARL WALKER INC.
1225 North Loop West,Suite 900 Houston, TX 77008	2801 Network Blvd., Suite 101 Frisco, TX 75034
T: 713.864.2900	T: 469.777.5143

ving Title AB ON GRADE LEVEL 1	Project Title BUILD PARKING GARAGE A	
roved for Design Concept:	Location	_
CILITY MANAGEMENT	Michael E. DeBake	;y
VISION MANAGER	Date	С
	2015/10/16	


100% CONSTRUCTI	ON DOCUM	ENTS		
Project Title BUILD PARKING GARAGE A			Guidon Design Project # 14.1037 Building Number 123	OFFICE OF FACILITIES MANAGEMENT
Location Michael E. DeBak	ey VAMC, Ho	ouston, TX	Drawing Number	VA Project Number 580-321
Date 2015/10/16	Checked By:	Drawn By:	SF101	VA U.S. Department of Veterans Affairs









O'N Ispers/hthomas/Nov.month/4.1000








	SHEARWALL LATERAL FORCE DISTRIBUTION SCHEDULE																																							
LOADID	AD ID PO		PCSW01 PCSW		CSW02 PCSW		PCSW04		PCSW05		PCSW06		PC	PCSW07		PCSW08		PCSW09		PCSW10		PCSW11		SW12	PCSW13		PCSW14		PCSW15		PCSW16									
LOAD ID	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft)	Kip	Elev (ft								
V3	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00	5	134.00		134.00	20.00	134.00	20.00	134.00	20.00	134.00								
V2	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	10	122.67	30.00	122.67	30.00	122.67	30.00	122.67	30.00	122.67								
V1	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	13	111.34	40.00	111.34	40.00	111.34	40.00	111.34	40.00	111.34								
TOTAL @ TOP	V 28	K	28	K	28	K	28	K	28	K	28	K	28	K	28	K	28	K	28	K	28	K	28	K	70	K	90	K	90	K	90	K								
OF FOOTING	M 544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	544.09	K-FT	1133.60	K-FT	1813.60	K-FT	1813.60	K-FT	1813.60	K-FT								

INTERIOR SHEARWALL ELEVATION @ GRID 3

SF203 | SCALE: 1/8" = 1'-0"

NITERIOR SHEARWALL ELEVATION GRID 7

SF203 | SCALE: 1/8" = 1'-0"



O'N Ispers/hthomas/Nov.month/4.1000

Revisions:

